ERROR#	ERROR MESSAGE	DESCRIPTION
SD2161	LST IS NOT VALID FOR THE END USER ADDRESS FOR CHARTER NO. CONVERSION	The CLLI code entered in the LST (Local Service Termination) field on the LSR Form does not match the CLLI code for the end user address on the End User Form and the FIDs RTNN, CXK and PIGI are present.
SD2162	LST IS EQUAL TO END USER ADDRESS, BUT RTNN, CXK AND PIGI ARE MISSING	The CLLI code in the LST (Local Service Termination) field on the LSR Form does not match the NPA NXX of the telephone number on the Port Service Form, but it does match the CLLI code for the end user address on the End User Form. However, the FIDs RTNN, CXK and PIGI are not found in the Feature Detail field on the Port Service form.
SD2163	A CHARTER NO. CONVERSION FID HAS BEEN FOUND, BUT ONE OR MORE ARE MISSING	At least one of the three Charter No. Conversion FIDs (RTNN, CXK or PIGI) has been found, but all three are not found.
SD2166	INVALID TOA FOR COIN SERVICE	Coin service cannot be a residence TOA (Type of Account) on the DL form. TOA values of 'R' and 'RP' are not valid.

ERROR #	ERROR MESSAGE:
LS0008	ACTL data invalid.
LS0180	SPEC CODE is invalid
LS1235	DCFA valid format: NRNNNNN.NNN.NNN
LS1237	DCFA prohibited if REQTYP is A and ACT is N or C and SPEC is blank
LS1240	DCFA prohibited if REQTYP is A and ACT is D, T or V
LS1241	If DCFA populated and REQTYP is A and ACT is N or C then NC must be UA
LS1250	DISC# required if REQTYP is A and ACT is N, C or D and NC is UA
LS1251	DISC# prohibited if REQTYP is A and ACT is T
LS1252	ECCKTif pop mst be UAFU in pos 4, 5, 6,7 if RQTYP A, ACT N, NC is UA
LS1253	ECCKTif pop mst be UAFU in pos 4, 5, 6,7 if RQTYP A, ACT C, NC is UA
LS1254	LCFA valid format: IRNNNNN.NNN.NN-NNN or NRNNNNN.NNN.NN-NNN
LS1255	LCFA prohibited if REQTYP is A and ACT is N or C and SPEC is blank
LS1256	LCFA prohibited if REQTYP is A and ACT is D, T or V
LS1257	LCFA if populated and REQTYP is A and ACT is N or C then NC must be UA
LS1258	If NC is UA then REQTYP must be A
LS1259	SCFA valid format: IRNNNNN.NNN.NN-NNN or NRNNNNN.NNN.NN-NNN
LS1260	SCFA prohibited if REQTYP is A and ACT is N or C and SPEC is blank
LS1261	SCFA prohibited if REQTYP is A and ACT is D, T or V
LS1262	If SCFA is populated and REQTYP is A and ACT is N or C thn NC must be UA
LS1263	TOS required if REQTYP is A and ACT is N and LNA is N and NC is UA
LS1264	TOS required if REQTYP is A and ACT is C and LNA is N and NC is UA
LS1265	VCFA valid format: IRNNNNN.NNN.NN-NNN or NRNNNNN.NNN.NN-NNN
LS1266	VCFA prohibited if REQTYP is A and ACT is N or C and SPEC is blank
LS1267	VCFA prohibited if REQTYP is A and ACT is D, T or V
LS1268	If VCFA is populated and REQTYP is A and ACT is N or C thn NC must be UA
LS1269	Type of Service requires a bona fide request
LS1270	Service request does not match criteria in Loop Qual
LS1271	Unable to locate end user address in Loop Qual
LS1272	Criteria exceeds Loop Qual criteria for conditioning
LS1278	Telephone number Class of Service must be a POTS Class of Service
LS1279	Account already has a DSL Loop working on the account
LS1291	CODE SET valid format: 1-4 numeric
LS1292	CODE SET required when VCI populated
LS1293	RECCKT contains invalid serial number format-see LSOR
LS1294	RECCKT required when VCI populated
LS1295	VCI contains invalid format see LSOR
LS1296	VCI required with NCI value
LS1297	VPI contains invalid format see LSOR
LS1298	VPI required when VCI populated
LS1321	TOS required if REQTYP is A, ACT is V, LNA is N or V, and NC is UA

LSR FORM

AN (field #7)

6

CHANGED NOTE:

removed

NOTE: This field is not used by Southwestern Bell Telephone.

added

NOTE: This field is not used at this time.

7

SC (field #9)

CHANGED NOTE:

removed

NOTE: This field is not used by Southwestern Bell Telephone.

added

NOTE: This field is not used at this time.

8

ACT (field #20)

ADDED DATA ENTRY CONDITION:

ACT of W is prohibited when the REQTYP is E and the CLEC has a Wholesale Inside Wire Contract (WIWP).

ACT V is prohibited when the REQTYP is F or M and the CC field matches the end user's CC in CRIS.

9

AFO (field #24)

CHANGED NOTE:

removed

NOTE: This field is not used by Southwestern Bell Telephone.

added

LSR FORM

CC (field #25)

10

ADDED NOTE:

If the CC field matches the end user's CC (AECN) for the service to be converted, then ACT V is prohibited.

ADDED DATA ENTRY CONDITION:

This entry must be the CLLI code of the End User address if the REQTYP is F or M and the ACT is V and the FEATURE DETAIL contains RTNN, CXK and PIGI.

11

TOS (field #38)

ADDED CONDITIONS:

CONDITION 7: Required when REQTYP is A, ACT is N, LNA is N and the NC is UA---. **CONDITION 8:** Required when REQTYP is A, ACT is C, LNA is C and the NC is UA---. **CONDITION 9:** Required when REQTYP is A, ACT is V, LNA is N or V and NC is UA---.

12

NC (field #40)

ADDED DATA ENTRY CONDITION:

If NC code is UA-- the REQTYP must be A.

13

CIC (field #50)

CHANGED NOTE:

removed

NOTE: This field is not used by Southwestern Bell Telephone.

<u>added</u>

LSR FORM

CUST (field #51)

CHANGED NOTE:

removed

14

NOTE: This field is not used by Southwestern Bell Telephone.

<u>added</u>

NOTE: This field is not used at this time.

15

REMARKS (field #100)

ADDED NOTE:

The following characters are prohibited in this field:

¬ (optional hyphen or dogleg)

\$ (dollar sign)

/ (forward slash or virgule)

? (question mark)

(underscore)

¢ (cent sign

CHANGED DATA CHARACTERISTICS:

removed

Data Characteristics: 1-160 alpha / numeric characters

added:

Data Characteristics: 1-160 alpha / numeric / special characters

16

CB (field #103)

CHANGED NOTE:

<u>removed</u>

NOTE: This field is not used by Southwestern Bell Telephone.

added

EU FORM

AN (field #3)

17

CHANGED NOTE:

removed

NOTE: This field is not used by Southwestern Bell Telephone.

added

NOTE: This field is not used at this time.

18

SAPR (field #9)

CHANGED NOTE:

removed

NOTE: This field is not used by Southwestern Bell Telephone.

<u>added</u>

NOTE: This field is not used at this time.

19

EUMI (field #25)

CHANGED NOTE:

removed

NOTE: This field is not used by Southwestern Bell Telephone.

added

NOTE: This field is not used at this time.

20

CPE MFR (field #28)

CHANGED NOTE:

removed

NOTE: This field is not used by Southwestern Bell Telephone.

added

EU FORM

CPE MOD (field #29)

21

CHANGED NOTE:

removed

NOTE: This field is not used by Southwestern Bell Telephone.

added

NOTE: This field is not used at this time.

22

IWO (field #31)

CHANGED NOTE:

removed

NOTE: This field is not used by Southwestern Bell Telephone.

added

NOTE: This field is not used at this time.

23

IWBAN (field #32)

CHANGED NOTE:

removed

NOTE: This field is not used by Southwestern Bell Telephone.

added

NOTE: This field is not used at this time.

24

IWCON (field #33)

CHANGED NOTE:

removed

NOTE: This field is not used by Southwestern Bell Telephone.

added

EU FORM

REMARKS (field #58)

ADDED **NOTE**:

28

The following characters are prohibited in this field:

- ¬ (optional hyphen or dogleg)
- \$ (dollar sign)
- / (forward slash or virgule)
- ? (question mark)
- _ (underscore)
- ¢ (cent sign

CHANGED DATA CHARACTERISTICS:

removed

Data Characteristics: 1-160 alpha / numeric characters

<u>added</u>

Data Characteristics: 1-160 alpha / numeric / special characters

AN (field #3)

29

CHANGED NOTE:

removed

NOTE: This field is not used by Southwestern Bell Telephone.

added

NOTE: This field is not used at this time.

30

LNA (field #11)

CHANGED CONDITION:

removed

- 2. If ACT is V, then
- LNA must be N, V, W or X.
- at least one LNA of V or X is required.

<u>added</u>

- 2. If ACT is V, then
- LNA must be N, V or W.
- at least one LNA of V is required.

31

CKR (field #23)

CHANGED NOTE:

removed

NOTE: This field is not used by Southwestern Bell Telephone.

added

NOTE: This field is not used at this time.

32

JK NUM (field #37)

CHANGED NOTE:

removed

NOTE: This field is not used by Southwestern Bell Telephone.

added

JK POS (field #38)

CHANGED NOTE:

<u>removed</u>

33

NOTE: This field is not used by Southwestern Bell Telephone.

<u>added</u>

JR (field #39)

34

CHANGED NOTE:

removed

NOTE: This field is not used by Southwestern Bell Telephone.

<u>added</u>

NOTE: This field is not used at this time.

35

IWJK (field #41)

CHANGED NOTE:

<u>removed</u>

NOTE: This field is not used by Southwestern Bell Telephone.

added

NOTE: This field is not used at this time.

36

IWJQ (field #42)

CHANGED NOTE:

removed

NOTE: This field is not used by Southwestern Bell Telephone.

added

BA (field #46)

CHANGED VALID ENTRIES:

removed

37

A = Add

D = Delete

N = No Change

Z = Remove all blocking

added

A = Add

D = Delete

N = No Change (NOT USED BY SWBT)

Z = Remove all blocking

38

FEATURE (field #50)

ADDED DATA ENTRY CONDITIONS:

If ACT is N, T or V and the FA field is populated with "N", "V" or "W"...

- 7) If the FEATURE is NWL and/or NWT, then ESX, NSD and NMP are required in a subsequent FEATURE field.
- 8) If the 1st character of the TOS field on the LSR Form is 4, then the FEATURE of NGP is required.

AN (field #3)

39

CHANGED NOTE:

removed

NOTE: This field is not used by Southwestern Bell Telephone.

added

NOTE: This field is not used at this time.

40

TC TO SEC (field #24)

CHANGED NOTE:

<u>removed</u>

NOTE: This field is not used by Southwestern Bell Telephone.

added

NOTE: This field is not used at this time.

41

TC TO ID (field #25)

CHANGED NOTE:

removed

NOTE: This field is not used by Southwestern Bell Telephone.

added

TC NAME (field #26)

42

CHANGED NOTE:

removed

NOTE: This field is not used by Southwestern Bell Telephone.

<u>added</u>

NOTE: This field is not used at this time.

43

SYSTEM ID (field #28)

CHANGED NOTE:

removed

NOTE 1: This field is not used by Southwestern Bell Telephone.

added

NOTE 1: This field is not used at this time.

44

CABLE ID (field #29)

CHANGED NOTE:

removed

NOTE 1: This field is not used by Southwestern Bell Telephone.

added

NOTE 1: This field is not used at this time.

45

SHELF (field #30)

CHANGED NOTE:

removed

NOTE 1: This field is not used by Southwestern Bell Telephone.

added

SLOT (field #31)

46

CHANGED NOTE:

removed

NOTE 1: This field is not used by Southwestern Bell Telephone.

<u>added</u>

NOTE 1: This field is not used at this time.

47

RELAY RACK (field #32)

CHANGED NOTE:

removed

NOTE 1: This field is not used by Southwestern Bell Telephone.

added

NOTE 1: This field is not used at this time.

48

CHAN/PAIR (field #33)

CHANGED NOTE:

removed

NOTE 1: This field is not used by Southwestern Bell Telephone.

added

BA (field #38)

CHANGED VALID ENTRIES:

removed:

A = Add

49

D = Delete

N = No Change

Z = Remove all blocking

added:

A = Add

D = Delete

N = No Change (NOT USED BY SWBT)

Z = Remove all blocking

50

FEATURE DETAIL (field #42)

ADDED NOTE:

When ordering "Charter No. Conversion", all three FIDs (RTNN, CXK and PIGI) must be populated.

ADDED DATA ENTRY CONDITION:

If REQTYP is F or M and ACT is N, C or V and the LNA is N, then RTNN, CXK and PIGI are prohibited.

If REQTYP is F or M and ACT is V and LNA is V and one or more of the following FIDs is found, all three FIDs are required: RTNN, CXK, PIGI

REMARKS (field #43)

51

ADDED NOTE:

The following characters are prohibited in this field:

- ¬ (optional hyphen or dogleg)
- \$ (dollar sign)
- / (forward slash or virgule)
- ? (question mark) _ (underscore)

 ¢ (cent sign

CHANGED DATA CHARACTERISTICS:

removed

Data Characteristics: 1-160 alpha / numeric characters

<u>added</u>

Data Characteristics: 1-160 alpha / numeric / special characters

AN (field #3)

52

CHANGED NOTE:

removed

NOTE 1: This field is not used by Southwestern Bell Telephone.

added

NOTE 1: This field is not used at this time.

53

ECCKT (field #13)

ADDED DATA ENTRY CONDITION:

When ACT is N and NC is UA--, then Element 2 must be UAFU, if populated. When ACT is C, LNA is N and NC is UA--, then Element 2 must be UAFÜ, if populated.

54

SYSTEM ID (field #15)

CHANGED NOTE:

removed

NOTE 1: This field is not used by Southwestern Bell Telephone.

added

NOTE 1: This field is not used at this time.

55

CABLE ID (field #16)

CHANGED NOTE:

removed

NOTE 1: This field is not used by Southwestern Bell Telephone.

added

SHELF (field #17)

56

CHANGED NOTE:

removed

NOTE 1: This field is not used by Southwestern Bell Telephone.

<u>added</u>

NOTE 1: This field is not used at this time.

57

SLOT (field #18)

CHANGED NOTE:

<u>removed</u>

NOTE 1: This field is not used by Southwestern Bell Telephone.

added

NOTE 1: This field is not used at this time.

58

RELAY RACK (field #19)

CHANGED NOTE:

<u>removed</u>

NOTE 1: This field is not used by Southwestern Bell Telephone.

added

NOTE 1: This field is not used at this time.

59

CHAN/PAIR (field #20)

CHANGED NOTE:

<u>removed</u>

NOTE 1: This field is not used by Southwestern Bell Telephone.

added

JK CODE (field #21)

60

CHANGED NOTE:

removed

NOTE 1: This field is not used by Southwestern Bell Telephone.

added

NOTE 1: This field is not used at this time.

61

JK NUM (field #22)

CHANGED NOTE:

removed

NOTE 1: This field is not used by Southwestern Bell Telephone.

added

NOTE 1: This field is not used at this time.

62

JK POS (field #23)

CHANGED NOTE:

removed

NOTE 1: This field is not used by Southwestern Bell Telephone.

added

NOTE 1: This field is not used at this time.

63

JR (field #24)

CHANGED NOTE:

removed

NOTE 1: This field is not used by Southwestern Bell Telephone.

added

NIDR (field #25)

64

REMOVED USAGE LINE and MATRIX:

USAGE: The following field is prohibited.

ACTIVITIES

alatinin Vijeje	N	С	D	T	R	V	W	S	В	Y
Reqtyp A	Р	Р	Р	P	P	P	1.74		Mil.	Table 1
0 0 1	$\overline{}$	S 1141	1 N	A1 - 4 1	-	-1 -	D		D 1- 11	1. 'AI

O - Optional C - Conditional N - Not Required R - Required P - Prohibited

ADDED NOTE:

Note: The following field is prohibited.

65

IWJK (field #26)

CHANGED NOTE:

removed

NOTE 1: This field is not used by Southwestern Bell Telephone.

added

NOTE 1: This field is not used at this time.

66

IWJQ (field #27)

CHANGED NOTE:

removed

NOTE 1: This field is not used by Southwestern Bell Telephone.

added

DISC # (field #28)

ADDED NOTE:

This field is populated when Line Sharing/HFPL (High Frequency Portion of the Loop) is ordered. It is used to associate the retail Plain Old Telephone Service (POTS) working telephone number that will share the Line with the Loop request.

CHANGED MATRIX:

<u>ACTIVITIES</u>

	N	С	D	T	R	V	W	S	В	Y
Reqtyp A	NС	NС	N C	N P	Z	C				

ADDED CONDITION:

Required when NC is UA-- and ACT is N, C, or D.

68

TC TO SEC (field #32)

CHANGED NOTE:

removed

NOTE 1: This field is not used by Southwestern Bell Telephone.

added

NOTE 1: This field is not used at this time.

69

TC ID (field #33)

CHANGED NOTE:

removed

NOTE 1: This field is not used by Southwestern Bell Telephone.

<u>added</u>

TC NAME (field #34)

7**0**

CHANGED NOTE:

removed

NOTE 1: This field is not used by Southwestern Bell Telephone.

added

NOTE 1: This field is not used at this time.

71

REMARKS (field #36)

ADDED **NOTE**:

The following characters are prohibited in this field:

- ¬ (optional hyphen or dogleg)
- \$ (dollar sign)
- / (forward slash or virgule)
- ? (question mark)
 - (underscore)
- ¢ (cent sign

CHANGED DATA CHARACTERISTICS:

removed

Data Characteristics: 1-160 alpha / numeric characters

added

Data Characteristics: 1-160 alpha / numeric / special characters

ADDED **NEW FIELD**:

38. (DCFA) - Data Connecting Facility Assignment

Identifies the configuration of the CLEC data splitter (stand-alone).

VALID ENTRIES:

The Data Connecting Facility Assignment consists of the following elements:

- NR (represents non-integrated splitter)
- 5 numeric characters representing the 2 numeric floor, 3 numeric aisle and followed by a period (.).
- 3 numeric characters representing the bay and followed by a period (.).
- 2 numeric characters representing the shelf and followed by a dash (-).
- 3 numeric characters for the port.

USAGE: The following field is conditional.

				<u>ACT/\</u>	<u>/ITIES</u>					
	N	С	D	<i>T</i>	R	V	W	S	В	Y
Reqtyp A	С	С	ը	Р	0	Р				

O - Optional C - Conditional N - Not Required R - Required P - Prohibited

Condition 1: This field is prohibited if the SPEC field on the LSR form is blank.

Condition 2: Prohibited if NC field on the LSR form is not equal to UA--.

DATA ENTRY CONDITION: The only valid special characters allowed are a period (.) and a dash (-).

Data Characteristics: 1- 42 alpha / numeric / special characters

Field Example:

